

Message

From: nishitani, brian [nishitani.brian@epa.gov]
Sent: 10/11/2017 11:57:53 AM
To: Reinhart, Roger [Reinhart.Roger@epa.gov]
Subject: RE: PFC Site - Vienna?

Thanks a bunch!

From: Reinhart, Roger
Sent: Wednesday, October 11, 2017 7:52 AM
To: Bennett, James <bennett.james@epa.gov>; Hirsh, Steven <Hirsh.Steven@epa.gov>; nishitani, brian <nishitani.brian@epa.gov>
Subject: RE: PFC Site - Vienna?

When the health advisory for PFOS/PFOA was issued in May 2016 it was determined that the several water supply wells for Vienna exceeded the HA. The Vienna PWS was tested under the UCMR3. Chemours, who operated the Washington Works facility at that time, provided bottled water to the residents of Vienna. Subsequently temporary GAC was installed on a few of the wells until permanent treatment was put in place. Technically, all this work was completed prior to the issuance of the amended Order in January 2017. Please let me know if you have any questions.

Roger

From: Bennett, James
Sent: Tuesday, October 10, 2017 9:28 PM
To: Hirsh, Steven <Hirsh.Steven@epa.gov>; nishitani, brian <nishitani.brian@epa.gov>
Cc: Reinhart, Roger <Reinhart.Roger@epa.gov>
Subject: Re: PFC Site - Vienna?

The Vienna water system is part of the Dupont/Chemours site. It was addressed under the Order issued by EPA.

From: Hirsh, Steven
Sent: Tuesday, October 10, 2017 8:55:54 PM
To: nishitani, brian
Cc: Bennett, James; Reinhart, Roger
Subject: Re: PFC Site - Vienna?

Hi Brian

I think but am not sure you're right and Vienna is associated with the DuPont facility.

There is a PFAS write up with an inventory in the briefing book.

I can follow up tomorrow AM.

Steve

Sent from my iPhone

On Oct 10, 2017, at 6:33 PM, nishitani, brian <nishitani.brian@epa.gov> wrote:

Mr. Google informs me that Vienna, WV is next to Parkersburg, so I take it that "Vienna" is related to DuPont Washington Works? If so, I'm guessing that Mary can find info in the Regional RA transition book. If that's the case, no need to recreate info. Thanks.

From: Hirsh, Steven

Sent: Tuesday, October 10, 2017 4:57 PM

To: nishitani, brian <nishitani.brian@epa.gov>

Cc: Bennett, James <bennett.james@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>

Subject: Re: PFC Site - Vienna?

Hey Jim and Roger

Can you help Brian out with his inquiry about PFAS in Vienna VA drinking water.

Thanks

Steve

Sent from my iPhone

On Oct 10, 2017, at 4:40 PM, nishitani, brian <nishitani.brian@epa.gov> wrote:

Steve,

Mary Coe is compiling info on hot issues. She asked for info about PFCs at "Vienna". I'm drawing a blank. Is this something that you know about?

Brian

Sent from my iPhone